

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**

Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Peaches & Cream PKG P250422

Total Sample Received: 3g

Total Units Received: 1

Unit Weight: 3g

Date Sampled: 07/14/2025

Date Received: 07/14/2025

Date Reported: 07/17/2025

Sample ID: T5G0375-01 CCB ID:MFG 250287

Matrix: Derivative Inhalable

Safety Summary

Foreign
Materials**PASS**

Heavy Metals

PASS

Microbials

PASSMoisture
Content
NOT TESTED

Mycotoxins

PASS

Pesticides

PASSResidual
Solvents**PASS**

Terpenes

TESTEDWater
Activity**PASS**Vitamins
Supplements**NOT TESTED**

Potency Summary

Cannabinoids

Date Prepared: 07/16/2025 14:07

Prep ID: 4599

Specimen Wt: 0.104 g

Date Analyzed: 07/16/2025 18:07

Analyst ID: 5047

Instrument: HPLC VWD / GCMS

Lab Batch: 2529066

Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	ND	N/A	ND
Cannabidiol (CBD)	1	ND	N/A	ND
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	ND	N/A	ND
Cannabigerol (CBG)	1	9.61	N/A	288
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	0.705	N/A	21.1
d8 - Tetrahydrocannabinoid (d8-THC)	10	39.4	N/A	1,183
d9 - Tetrahydrocannabinoid (d9-THC)	25	0.228	N/A	6.83
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	22.7	N/A	680
Total THC		0.228	0.000	6.84
Total CBD		0.0000	0.000	0.000
Total Cannabinoids		72.6	0.000	2,178

Total THC= THCA * 0.877 + d9-THC. Total CBD= CBDA * 0.877 + CBD.

mg/Unit = Unit Weight g * Total THC/CBD mg/g

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terlifelabs.comBrian C. Spann
Laboratory Director

1 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**

Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Peaches & Cream PKG P250422

Total Sample Received: 3g

Total Units Received: 1

Unit Weight: 3g

Date Sampled: 07/14/2025

Date Received: 07/14/2025

Date Reported: 07/17/2025

Sample ID: T5G0375-01 CCB ID:MFG 250287

Matrix: Derivative Inhalable

Pesticides

Pass

Prep Method: SOP 1363	Batch	Instrument	Analized	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2529031	LCMSMS	7/16/2025 8:08:35AM	2670	7/15/2025 7:55:00AM	4599	1.02	SOP1350
* Pesticides GCQQQ	2529030	GCMSMS	7/15/2025 2:33:53PM	2670	7/15/2025 7:58:00AM	4599	1.02	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
Abamectin	1	ppb	ppb	ppb		Imazalil	1	ppb	ppb	ppb	
Acephate	1	100	10.0	ND	Pass	Imidacloprid	1	400	40.0	ND	Pass
Acequinocyl	1	100	10.0	ND	Pass	Kresoxim-methyl	1	100	10.0	ND	Pass
Acetamiprid	1	100	10.0	ND	Pass	Malathion	1	200	20.0	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Metalaxyl	1	100	10.0	ND	Pass
Azoxystrobin	1	100	10.0	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Bifenazate	1	100	10.0	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenthrin	1	100	10.0	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Boscalid	1	100	10.0	ND	Pass	Myclobutanil	1	100	10.0	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Naled	1	250	25.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Paclobutrazol	1	100	10.0	ND	Pass
Chlormequat Chloride	1	1000	100	ND	Pass	Permethrin	1	100	10.0	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Phosmet	1	100	10.0	ND	Pass
Clofentezine	1	200	20.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Prallethrin	1	100	10.0	ND	Pass
Cyfluthrin	1	500	50.0	ND	Pass	Propiconazole	1	100	10.0	ND	Pass
Cypermethrin	1	500	50.0	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyrethrins	1	500	50.0	ND	Pass
Diazinon	1	100	10.0	ND	Pass	Pyridaben	1	200	20.0	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinetoram, total	1	200	20.0	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spinosad, total	1	100	10.0	ND	Pass
Dimethomorph	1	200	20.0	ND	Pass	Spiromesifen	1	100	10.0	ND	Pass
Ethoprophos	1	100	10.0	ND	Pass	Spirotetramat	1	100	10.0	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etoazole	1	100	10.0	ND	Pass	Tebuconazole	1	100	10.0	ND	Pass
Fenhexamid	1	100	10.0	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenoxycarb	1	100	10.0	ND	Pass	Thiamethoxam	1	500	50.0	ND	Pass
Fenpyroximate	1	100	10.0	ND	Pass	Trifloxystrobin	1	100	10.0	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Captan*	1	700	70.0	ND	Pass
Fonicamid	1	100	10.0	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Fludioxonil	1	100	10.0	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Hexythiazox	1	100	10.0	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.tlplifelabs.com

Brian C. Spann
Laboratory Director

2 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail: **PASS**

Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Peaches & Cream PKG P250422

Total Sample Received: 3g

Total Units Received: 1

Unit Weight: 3g

Date Sampled: 07/14/2025

Date Received: 07/14/2025

Date Reported: 07/17/2025

Sample ID: T5G0375-01 CCB ID:MFG 250287

Matrix: Derivative Inhalable

Mycotoxins

PassDate Prepared: 07/15/2025 07:55
Date Analyzed: 07/15/2025 18:26Prepped By: 4599
Analyzed By: 2670Specimen Wt: 1.02 g
Instrument: LCMSMS

Lab Batch: 2529031

Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials

PassDate Prepared: 07/14/2025 14:35
Date Analyzed: 07/16/2025 14:00Prep ID: 1093
Analyst ID: 1093Specimen Wt: 1.00 g
Instrument: qPCR

Lab Batch: 2529028

Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Staphylococcus Aureus	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Pseudomonas Aeruginosa	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	10000	1	5	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

PassDate Prepared: 07/16/2025 09:40
Date Analyzed: 07/16/2025 19:27Prepped By: 10198
Analyzed By: 1094Specimen Wt: 0.28 g
Instrument: ICPMS

Lab Batch: 2529069

Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20.0	ND	Pass
Cadmium	1	200	20.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	200	20.0	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials

PassDate Prepared: 07/15/2025 14:20
Date Analyzed: 07/15/2025 17:10Prep ID: 3780
Analyst ID: 3780

Instrument: Visual Inspection

Lab Batch: 2529042

Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity

PassDate Prepared: 07/15/2025 17:10
Date Analyzed: 07/15/2025 17:10Prep ID: 3780
Analyst ID: 3780Specimen Wt: 0.18 g
Instrument: Water Activity Meter

Lab Batch: 2529042

Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.46	Pass

ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.comBrian C. Spann
Laboratory Director

3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

Global Widget

Client Lic#:

8419 Sunstate St. Tampa, FL 33634

Eugene Choi - Global Widget Tampa

Compliance for Retail:

PASS



Cannabis Life Sativa Delta-8 + Delta-10 + CBG Vape Peaches & Cream PKG P250422

Total Sample Received: 3g

Total Units Received: 1

Unit Weight: 3g

Date Sampled: 07/14/2025

Date Received: 07/14/2025

Date Reported: 07/17/2025

Sample ID: T5G0375-01 CCB ID:MFG 250287

Matrix: Derivative Inhalable

Residual Solvents

Pass

Terpenes Summary

Date Prepared: 07/15/2025 15:00
Date Analyzed: 07/15/2025 21:41
Lab Batch: 2529052Prep ID: 2447
Analyst ID: 2447Specimen Wt: 0.05 g
Instrument: GCMSMS Headspace
Analysis Method: SOP1361Date Prepared: 07/15/2025 07:53
Date Analyzed: 07/15/2025 18:53
Lab Batch: 2529032Prep ID: 4599
Analyzed ID: 11083Specimen Wt: 0.10 g
Instrument: GCMS
Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	2.00	0.200	ND	Pass
Acetone	1	750	75.0	ND	Pass
Acetonitrile	1	60.0	6.00	ND	Pass
Benzene	1	1.00	0.100	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.200	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40.0	ND	Pass
Ethyl ether	1	500	50.0	ND	Pass
Ethylene oxide	1	5.00	0.500	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25.0	ND	Pass
Isopropyl alcohol	1	500	50.0	ND	Pass
Methanol	1	250	25.0	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75.0	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15.0	ND	Pass
Xylenes, total	1	150	15.0	ND	Pass
Trichloroethylene	1	25.0	2.50	ND	Pass

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Analyte	Dilution	LOD	Results
		%	%
D-Limonene	1	0.0240	0.864
E-Caryophyllene	1	0.0240	0.412
beta-Myrcene	1	0.0240	0.387
Linalool	1	0.0240	0.257
beta-Pinene	1	0.0240	0.113
alpha Bisabolol, L	1	0.0240	0.0949
alpha-Fenchyl alcohol, (+)-	1	0.0240	0.0849
alpha-Pinene	1	0.0240	0.0809
alpha-Terpineol	1	0.0240	0.0532
3-Carene (+)-	1	0.0240	ND
alpha-Cedrene	1	0.0240	ND
alpha-Humulene	1	0.0240	ND
alpha-Phellandrene	1	0.0240	ND
alpha-Terpinene	1	0.0240	ND
beta-Ocimene	1	0.0240	ND
Borneol	1	0.0240	ND
Camphene	1	0.0240	ND
Camphor	1	0.0240	ND
Caryophyllene Oxide	1	0.0240	ND
Cedrol	1	0.0240	ND
E-Nerolidol	1	0.0240	ND
Eucalyptol	1	0.0240	ND
Farnesene	1	0.0240	ND
Fenchone	1	0.0240	ND
gamma-Terpinene	1	0.0240	ND
Geraniol	1	0.0240	ND
Geranyl Acetate	1	0.0240	ND
Guaiol	1	0.0240	ND
Isoborneol	1	0.0240	ND
Isopulegol	1	0.0240	ND
Menthol	1	0.0240	ND
Nerol	1	0.0240	ND
p-Cymene	1	0.0240	ND
Pulegone	1	0.0240	ND
Sabinene	1	0.0240	ND
Sabinene hydrate	1	0.0240	ND
Terpinolene	1	0.0240	ND
Valencene	1	0.0240	ND
Z-Nerolidol	1	0.0240	ND

Total Terpenes 2.347 70.41 mg/Unit

Terpene results are provided for informational purposes only.

LOD = Limit of Detection; ND = Not Detected.

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.tlplifelabs.comBrian C. Spann
Laboratory Director

4 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017)