



Natures Way Creating Better Days

10061 Amberwood Rd., Fort Myers, FL 33913

1(800) 215-0223

Permit: 2026-R-2174056

0326009516 Slurricane 100mg_60ml Shot

Laboratory ID: KC27029-01

Sample Matrix: Edible

Batch Unit Size: 60 g

Label Claim (mg): THC: -- | CBD: -- | CBN: --

Sample Date: 03/27/26

Received: 03/27/26 17:52

Completed: 04/01/26 16:40

Description: --

POTENCY SUMMARY (As Received)

Total CBD

<LOQ%

Total THC

0.221% (133 mg)

Total Cannabinoids

0.248% (149 mg)

Analyte

%

mg

delta 9-THC

0.221

133

delta 8-THC

0.0265

15.9

CBC

<LOQ

<LOQ

CBD

<LOQ

<LOQ

CBDa

<LOQ

<LOQ

CBDV

<LOQ

<LOQ

CBG

<LOQ

<LOQ

CBGa

<LOQ

<LOQ

CBN

<LOQ

<LOQ

THCa

<LOQ

<LOQ

THCV

<LOQ

<LOQ

TERPENES SUMMARY (Top Ten)

Terpenes

Not Tested

ANALYSIS SUMMARY

Potency (0.3%)

PASS

Homogeneity

Not Tested

Terpenes

Not Tested

Residual Solvents

PASS

% Moisture

Not Tested

Water Activity

PASS

Foreign Matter

PASS

Pesticides

PASS

Mycotoxins

PASS

Heavy Metals

PASS

Microbials

PASS

Label Claim ($\pm$ 10%)

Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.

This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: www.moderncanna.com/modern-canna-reporting-limits/

LOQ = Limit of Quantification

ND = Non-Detect

RPD = Relative Percent Difference

MDL = Method Detection Limit

PQL = Practical Quantitation Limit

0326009516 Slurricane 100mg_60ml Shot

Laboratory ID: KC27029-01
Sample Matrix: Edible
Description: --

Sample Date: 3/27/2026
Received: 03/27/26 17:52
Completed: 04/01/26 16:40

Potency by HPLC

Potency by HPLC						Batch: B6C3006 SOP: MCS-SOP-002		Prep By: 1005 Prep On: 3/30/26 16:21		Ana. By: 1005 Ana. On: 3/31/26 13:05		Initial (g): 1.0026 Final (g): 10	
Analyte (%)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (%)	Result	Diln	Reg. Limit	MDL	PQL		
Total THC	0.221	10	0.3	0.00319	0.0468	Total CBD	ND	1		0.000489	0.00468		
delta 8-THC	0.0265	1		0.000160	0.00249	delta 9-THC	0.221	10	0.3	0.00170	0.0249		
THCa	ND	1		0.000170	0.00249	THCV	ND	1		0.000359	0.00249		
CBD	ND	1		0.000329	0.00249	CBDa	ND	1		0.000199	0.00249		
CBDV	ND	1		0.000219	0.00249	CBC	ND	1		0.000748	0.00249		
CBG	ND	1		0.000160	0.00249	CBGa	ND	1		0.000160	0.00249		
CBN	ND	1		0.000190	0.00249								

Residual Solvents by GC/MS-HS

Residual Solvents by GC/MS-HS						Batch: B6C3021 SOP: MCS-SOP-003		Prep By: 1005 Prep On: 3/30/26 17:13		Ana. By: 1028 Ana. On: 3/31/26 00:10		Initial (g): 0.0208 Final (g): 20	
Analyte (mg/kg)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (mg/kg)	Result	Diln	Reg. Limit	MDL	PQL		
Propane	ND	1	5000	96.2	240	n-Butane	ND	1	5000	96.2	240		
Methanol	ND	1	250	24.0	96.2	Ethylene Oxide	ND	1	5	0.481	2.40		
Ethanol	ND	1	5000	96.2	240	Pentane	ND	1	750	72.1	240		
Ethyl Ether	ND	1	500	48.1	240	Acetone	ND	1	750	72.1	240		
1,1-Dichloroethylene	ND	1	8	0.295	1.44	Isopropyl Alcohol (2-Propanol)	ND	1	500	48.1	240		
Acetonitrile	ND	1	60	5.77	28.8	Methylene Chloride	ND	1	125	12.0	48.1		
Hexane	ND	1	250	24.0	120	Ethyl Acetate	ND	1	400	38.5	192		
Chloroform	ND	1	2	0.133	0.962	1,2-Dichloroethane	ND	1	2	0.173	0.962		
Benzene	ND	1	1	0.0551	0.0962	Heptane	ND	1	5000	96.2	240		
Trichloroethene (Trichloroethylene)	ND	1	25	0.259	1.44	Toluene	ND	1	150	14.4	72.1		
m/p-Xylenes	ND	1	100	7.21	28.8	o-xylene	ND	1	50	7.21	28.8		

Water Activity by REH

Water Activity by REH					Batch: B6C3010		Prep By: 1005		Ana. By: 1048		Initial (g): 0.1027	
					SOP: MCS-SOP-G03		Prep On: 3/30/26 16:34		Ana. On: 3/31/26 09:31		Final (g): 0.1	
Analyte (Aw)	Result	Diln	Reg. Limit	MDL	PQL							
Activity of Water (Aw)	0.16	1	0.85	0.040	0.040							

Foreign Matter

Foreign Matter					Batch: B6C2811		Prep By: 1048		Ana. By: 1048		Initial (g): 1	
					SOP: MCS-SOP-G01		Prep On: 3/28/26 09:00		Ana. On: 3/30/26 09:30		Final (g): 1	
Analyte (P/A)		Result	Diln	Reg. Limit	MDL	PQL						
Foreign Matter		Absent	1	1	1.00	1.00						

0326009516 Slurricane 100mg_60ml Shot

Laboratory ID: KC27029-01
Sample Matrix: Edible
Description: --

Sample Date: 3/27/2026
Received: 03/27/26 17:52
Completed: 04/01/26 16:40

Pesticides by LC-QQQ

Batch: B6C3008
SOP: MCS-SOP-001b

Prep By: 1005
Prep On: 3/30/26 16:39

Ana. By: 1056
Ana. On: 3/31/26 22:48

Initial (g): 2.0013
Final (g): 27

Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL
Abamectin, Total	ND	10	300	6.63	54.0	Acephate	ND	10	3000	5.28	54.0
Acequinocyl	ND	10	2000	6.30	54.0	Acetamiprid	ND	10	3000	8.18	54.0
Aldicarb	ND	10	100	6.95	54.0	Azoxystrobin	ND	10	3000	1.76	54.0
Bifenazate	ND	10	3000	1.98	54.0	Bifenthrin	ND	10	500	5.09	54.0
Boscalid	ND	10	3000	9.84	54.0	Carbaryl	ND	10	500	3.90	270
Carbofuran	ND	10	100	1.24	54.0	Chlorantraniliprole	ND	10	3000	2.76	540
Chlormequat chloride	ND	10	3000	5.05	540	Chlorpyrifos	ND	10	100	2.39	54.0
Clofentezine	ND	10	500	8.04	108	Coumaphos	ND	10	100	2.42	54.0
Cyfluthrin	ND	10	1000	14.4	270	Cypermethrin	ND	10	1000	6.13	270
Daminozide	ND	10	100	3.41	54.0	Diazinon	ND	10	200	1.72	54.0
Dichlorvos	ND	10	100	3.13	54.0	Dimethoate	ND	10	100	0.696	54.0
Dimethomorph, Total	ND	10	3000	1.35	108	Ethoprophos	ND	10	100	1.28	54.0
Etofenprox	ND	10	100	6.88	54.0	Etoazole	ND	10	1500	8.31	54.0
Fenhexamid	ND	10	3000	2.92	54.0	Fenoxycarb	ND	10	100	2.53	54.0
Fenpyroximate	ND	10	2000	2.98	54.0	Fipronil	ND	10	100	7.72	54.0
Flonicamid	ND	10	2000	3.73	54.0	Fludioxonil	ND	10	3000	5.93	54.0
Hexythiazox	ND	10	2000	3.16	54.0	Imazalil	ND	10	100	5.18	54.0
Imidacloprid	ND	10	3000	9.33	216	Kresoxim-Methyl	ND	10	1000	4.11	54.0
Malathion	ND	10	2000	5.80	108	Metalaxyl	ND	10	3000	2.41	54.0
Methiocarb	ND	10	100	6.39	54.0	Methomyl	ND	10	100	2.39	54.0
Mevinphos	ND	10	100	5.01	54.0	Myclobutanil	ND	10	3000	8.80	54.0
Dibrom (Naled)	ND	10	500	3.26	135	Oxamyl	ND	10	500	1.26	135
Paclobutrazol	ND	10	100	6.60	54.0	Permethrin	ND	10	1000	8.81	54.0
Phosmet	ND	10	200	4.95	54.0	Piperonyl butoxide	ND	10	3000	3.14	1620
Prallethrin	ND	10	400	2.98	54.0	Propiconazole (Tilt)	ND	10	1000	9.67	54.0
Baygon (Propoxur)	ND	10	100	2.94	54.0	Pyrethrins, Total	ND	10	1000	5.93	54.0
Pyridaben	ND	10	3000	3.38	108	Spinetoram, Total	ND	10	3000	6.32	54.0
Spiromesifen	ND	10	3000	1.21	54.0	Spirotetramat	ND	10	3000	3.60	54.0
Spiroxamine	ND	10	100	3.68	54.0	Tebuconazole	ND	10	1000	10.2	54.0
Thiacloprid	ND	10	100	7.79	54.0	Thiamethoxam	ND	10	1000	8.58	270
Trifloxystrobin	ND	10	3000	3.26	54.0	Spinosad, Total	ND	10	3000	2.40	54.0

Pesticides by GC-QQQ

Batch: B6C3008
SOP: MCS-SOP-001a

Prep By: 1005
Prep On: 3/30/26 16:39

Ana. By: 1067
Ana. On: 3/31/26 20:44

Initial (g): 2.0013
Final (g): 27

Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL
Pentachloronitrobenzene (quintozone)	ND	5	200	18.5	40.5	Methyl parathion	ND	5	100	9.23	27.0
Captan	ND	5	3000	26.6	189	Chlordane, Total	ND	5	100	21.0	27.0
Chlorfenapyr	ND	5	100	23.5	27.0						

Mycotoxins by LC-QQQ

Batch: B6C3008
SOP: MCS-SOP-001b

Prep By: 1005
Prep On: 3/30/26 16:39

Ana. By: 1056
Ana. On: 3/31/26 18:01

Initial (g): 2.0013
Final (g): 27

Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL
Aflatoxin, Total	ND	10	20	5.40	5.40	Ochratoxin A	ND	10	20	1.36	5.40
Aflatoxin G2	ND	10	20	4.03	5.40	Aflatoxin G1	ND	10	20	1.75	5.40
Aflatoxin B2	ND	10	20	2.09	5.40	Aflatoxin B1	ND	10	20	1.59	5.40

0326009516 Slurricane 100mg_60ml Shot

Laboratory ID: KC27029-01
Sample Matrix: Edible
Description: --

Sample Date: 3/27/2026
Received: 03/27/26 17:52
Completed: 04/01/26 16:40

Total Metals by ICP-MS

Batch: B6C3009
SOP: MCS-SOP-I01

Prep By: 1029
Prep On: 3/31/26 11:01

Ana. By: 1005
Ana. On: 3/31/26 14:58

Initial (g): 0.2585
Final (g): 25

Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ug/kg)	Result	Diln	Reg. Limit	MDL	PQL
Arsenic	ND	1	1500	19.3	96.7	Cadmium	ND	1	500	19.3	96.7
Lead	ND	1	500	48.4	242	Mercury	ND	1	3000	19.3	48.4

Microbials by qPCR

Batch: B6C3013
SOP: MCS-SOP-M01

Prep By: 1058
Prep On: 3/31/26 08:22

Ana. By: 1058
Ana. On: 4/1/26 11:15

Initial (g): 1.0022
Final (g): 2.4

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Aspergillus flavus	Absent	1	1	1.00	1.00	Aspergillus fumigatus	Absent	1	1	1.00	1.00
Aspergillus niger	Absent	1	1	1.00	1.00	Aspergillus terreus	Absent	1	1	1.00	1.00
Aspergillus Total	Absent	1	1	1.00	1.00	Salmonella	Absent	1	1	1.00	1.00
Shiga Toxin E.coli	Absent	1	1	1.00	1.00						

Quantitative Microbials by qPCR

Batch: B6C3014
SOP: MCS-SOP-M01

Prep By: 1005
Prep On: 3/31/26 11:55

Ana. By: 1005
Ana. On: 3/31/26 12:52

Initial (g): 1.0004
Final (g): 7

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Yeast & Mold	Absent	1	100000	1000	1000