

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

110201-CN			
ID	Weight %	Concentration (mg/g)	
Δ9-THC	0.0719	0.719	
THCV	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBD	0.0714	0.714	
CBDV	ND	ND	
CBG	0.0044	0.0440	
CBC	ND	ND	
CBN	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
THCA	ND	ND	
CBDA	ND	ND	
CBGA	ND	ND	
CBDVA	ND	ND	
$\Delta 8$ -THC	ND	ND	
exo-THC	ND	ND	
Total	0.148	1.48	0% Cannabinoids (wt%) 0.0719
Max THC	0.0719	0.719	Limit of Quantitation $(LOQ) = 0.0025$ w
Max CBD	0.0714	0.714	Limit of Detection (LOD) = 0.0008 w

Ratio of Total CBD to THC 1.0:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

END OF REPORT

110281-CN

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com